


1 Identification

- · Product identifier
- · Trade name: 130 C1 BLACK
- \cdot Relevant identified uses of the substance or mixture and uses advised against
- Currently no such applications are identified
- \cdot Application of the substance / the mixture <code>Ball Pen Ink</code>
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier:
- SHANGHAI DOKUMENTAL INK Co. Ltd. No. 38 Lane 451 Mao Jia Road Luodian Town, Baoshan District Shanghai 201908 , P.R. China Tel.: 86-21-66864551 / 66864542
- Information department: Ms. Cindy Song Email: cindy.song@dokumental.cn
- Emergency telephone number:
- Mr. Bruce Gindelberger
- Tel.: mobile +86-13917914495
- Email: bruce.gindelberger@dokumental.cn
- 24-hour-Emergency- Telephone-Number (GBK Contract ID: 94050): (001) 352 323 3500

2 Hazard(s) identification

Classification of the substance or mixture GHS07 Skin Irrit. 2 H315 Causes skin irritation. H319 Causes serious eye irritation. Eye Irrit. 2A Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS07 · Signal word Warning Hazard statements Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects. · Precautionary statements Wear protective gloves. Wear eye protection / face protection. Avoid release to the environment. Wash thoroughly after handling. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 1Fire = 1Reactivity = 0(Contd. on page 2) USA

Safety Data Sheet





Page 2/6 Printing date 12/09/2014 Reviewed on 12/09/2014

(Contd. of page 1)

Trade name: 130 C1 BLACK

· HMIS-ratings (scale 0 - 4)

HEALTH1FIRE1REACTIVITY0

Health = 1 Fire = 1 Reactivity = 0

\cdot Other hazards

 \cdot Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

- Mixture of the following substances, containing non-hazardous substances and colouring agents.
- \cdot **Description:** Mixture of the substances listed below with nonhazardous additions.

• Dangerous components:

Jungeroup componency.	
122-99-6 2-Phenoxyethanol	50-100%
9046-01-9 Polyoxyethylene Tridecyl Ether Phosphate	2.5-10%
122-39-4 diphenylamine	<u>≤</u> 1.0%
• Additional information: For the wording of the listed risk phrases refer to section 16.	

4 First-aid measures

· Description of first aid measures

- General information:
 - Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective clothing.
 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

- Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

(Contd. on page 3) USA Safety Data Sheet

acc. to OSHA HCS

Pokumental

Page 3/6 Printing date 12/09/2014 Reviewed on 12/09/2014

Trade name: 130 C1 BLACK

(Contd. of page 2)

- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.
- 8 Exposure controls/personal protection
- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- \cdot Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- \cdot General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation $% \left({{{\left[{{{c_{1}}} \right]}}} \right)$

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

9 Physical and chemical properties	
· Information on basic physical and chemical p	roperties
· General Information	
· Appearance:	
Form:	Fluid
Color:	Black
· Odor:	Product specific
· Odour threshold:	Not determined.
 Important information on protection of healt environment, and on safety. 	h and
· pH-value at 20 °C (68 °F):	6.5
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	244 °C (471 °F)
· Flash point:	121 °C (250 °F)
• Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	535 °C (995 °F)
· Decomposition temperature:	Not determined.
	(Contd. on page
	- U



Trade name: 130 C1 BLACK

	(Contd. of page 3
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Not determined.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C (68 °F):	1.1 g/cm³ (9.18 lbs/gal)
· Relative density	Not determined.
 Vapour density 	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic at 20 °C (68 °F):	9000 mPas
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	53.9 %
Solids content:	44.2 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity

- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

122-99-6 2-Phenoxyethanol

Oral LD50 2740 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Irritant
 Consistence actogories

· Carcinogenic categories

- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.

• NTP (National Toxicology Program) None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

• Toxicity

- · Aquatic toxicity: No further relevant information available.
- \cdot <code>Persistence and degradability</code> No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

Safety Data Sheet

acc. to OSHA HCS



Page 5/6 Printing date 12/09/2014 Reviewed on 12/09/2014

Trade name: 130 C1 BLACK

- · Ecotoxical effects:
- · Remark: Harmful to fish
- \cdot Additional ecological information:

· General notes:

- Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- Harmful to aquatic organisms · Results of PBT and vPvB assessment
- **PBT:** Not applicable. · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.
- 13 Disposal considerations
 - · Waste treatment methods
 - · Recommendation:
 - Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 - · Uncleaned packagings:
 - · Recommendation: Disposal must be made according to official regulations.

14 Transport information

11 11 dilloport o 111 of and of on	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
	Voru
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void
• Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Void
· Packing group	
· DOT, ADR, IMDG, IATA	Void
 Environmental hazards: Marine pollutant: 	No
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· UN "Model Regulation":	-

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture • Sara

· Section 355 (extremely hazardous substances):
None of the ingredient is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
All ingredients are listed.
· Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
• DSL/NDSL (Canada) All ingredients are listed
(Contd. on page 6) USA -





(Contd. of page 5)

USA

Trade name: 130 C1 BLACK

· Cancerogenity categories	(Contd. of page
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
MAK (German Maximum Workplace Concentration)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GF Hazard pictograms	<i>HS).</i>
\wedge	
GHS07	
Signal word Warning	
Hazard statements	
Causes skin irritation.	
Causes serious eye irritation. Harmful to aquatic life with long lasting effects.	
Precautionary statements	
Wear protective gloves.	
Wear eye protection / face protection.	
Avoid release to the environment.	
Wash thoroughly after handling. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, a	if progont and
easy to do. Continue rinsing.	ii piesent and
Specific treatment (see on this label).	
${ m If}$ skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
If on skin: Wash with plenty of water.	
Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance with local/regional/national/international	al regulations
	1 109414010110.
National regulations:	
Technical instructions (air):	
Class Share in %	
I <1.0	
NK 50-100	
Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.	
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
Other information	
This information is based on our present knowledge. However, this shall not constitut	te a quarantee
for any specific product features and shall not establish a legally valid contractual	-
Date of preparation / last revision 12/09/2014 / - Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations	Concerning the
International Transport of Dangerous Goods by Rail)	
ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the I	International Carria
of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent	
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2	

- Lb50: Lethal dose, 50 percent Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Aquatic Chronic 3: Hazardous to the aquatic environment Chronic Hazard, Category 3 * Data compared to the previous version altered.