



## Safety Data Sheet

### 1. Identification

**Product Name:** ELIMININK  
**Synonyms:** None  
**CAS Number:** Mixture  
**Product Use:** Laundry Stain Remover  
**Manufacturer:** Newhouse Specialty Company  
**Address:** 2681 Halladay Street  
 Santa Ana, California  
 (714)557-9044  
**General Information:**  
**Transportation Emergency Number:** **INFOTRAC 1-800-535-5053**

### 2. Hazards Identification

#### GHS Classification:

| Health  | Environmental          | Physical |
|---|------------------------|----------|
| Acute Toxicity - Category 4 (inhalation),<br>Oral/Dermal –Category 4 (irritation)<br>Eye Corrosion - Category 4<br>Skin Corrosion – 3<br>Skin Sensitization - None<br>Mutagenicity - None<br>Carcenogenicity - None<br>Reproductive/Development - None<br>Target Organ Toxicity (Repeated) - None | Aquatic Toxicity - Low | None     |

#### GHS Label:

|  |  |
|--|--|
| <b>Symbols:</b> None   |  |
| <b>Hazard Statements</b><br><b>Caution:</b><br>If inhaled: Excessive intentional inhalation may cause respiratory tract irritation<br>For skin and eyes: May cause irritation<br>For allergic skin reaction: None<br>Does not cause Lung Cancer<br>Does not cause Birth Defects<br>Does not cause Genetic Defects<br>Some toxicity to Aquatic Life | <b>Precautionary Statements</b><br>Do not eat, drink, or use tobacco when using this product.<br>Keep container tightly closed<br>Keep away from heat and open flame<br>Wear protective gloves and eye/face protection<br>Use in a well ventilated area.<br>Store in tightly closed container in cool/well ventilated place. |

|  |                                |
|--|--------------------------------|
|  | Wash thoroughly after handling |
|--|--------------------------------|

Risk Codes: R36/37/38, R40, R52

**Additional Information** Full text of R and S phrases in section 15

### GHS Labeling Symbols



**Signal Word** CAUTION

### Hazard Statements

- H302 Harmful if Swallowed
- H312 Harmful in contact with skin
- H315 Causes skin irritation
- H335 May cause respiratory irritation
- H413 May cause lasting harmful effects to aquatic life

### Precautionary Statements

- P102 Keep out of reach of children
- P262 Do not get in eyes, on skin or on clothing
- P270 Do not eat, drink or smoke when using this product
- P280 Wear protective gloves/eye protection/face protection
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water
- P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

### 3. Composition / Information on Ingredients

| Component                            | CAS Number | Weight % |
|--------------------------------------|------------|----------|
| 1. Fatty acids, coco, ethoxylated    | 61791-29-5 | 15-40%   |
| 2. Propylene glycol monomethyl ether | 107-98-2   | 15-40%   |
| 3. Cocamidopropyl betaine            | 61789-40-0 | 1-5%     |
| 4. Fatty acids, coco                 | 61788-47-4 | 0.5-1.5% |

### 4. First Aid Measures

**Eye:** Flush with water for at least 15 minutes or until irritation ceases. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.

**Skin:** Wash skin thoroughly with soap and water for at least 15 minutes. Prolonged contact by sensitive individuals can cause drying.

**Inhalation:** If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention

**Ingestion:** Do not induce vomiting. Drink two glasses of water and consult a physician if ingested. Never give anything by mouth if victim is unconscious or convulsing. Obtain medical attention.

**Note to physician:** Symptoms may be delayed.

### 5. Fire Fighting Measures

**Suitable Extinguishing Media:** Water, Alcohol Foam, Carbon Dioxide, or Dry Chemical

**Fire Fighting Procedures:** Use normal firefighting equipment. Product may float on water if spilled. Firefighters must be equipped to prevent breathing of vapors or products of combustion. Wear an approved self-contained breathing apparatus and protective clothing.

**Unusual Fire and Explosion Hazards:** None known.

**Combustion Products:** Carbon Monoxide, and Carbon Dioxide

### 6: Accidental Release Measures

#### Personal Precautions:

- Keep unnecessary personnel away. Do not touch or walk through spilled material.

- Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

### Spill Mitigation Procedures:

**Air Release:** Not applicable

**Water Release:** Do not release into lakes, streams, ponds or public waters. Stop leak if you can do so without risk.

**Land Release:** Normal housekeeping procedure: Sweep or vacuum up materials and dispose of in a sanitary landfill.

**Methods for cleanup:** Before attempting cleanup, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labeled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and suppliers for advice. Never return spills to original container.

### Additional Spill Information:

Utilize emergency response personal protection equipment (PPE) prior to the start of any response. Evacuate all non-essential personnel. Dispose of spill residues per guidelines under Disposal Considerations.

## 7. Handling and Storage

**Handling:** Use good industrial hygiene practices in handling this material. When using this product, do not eat or drink. Avoid contact with skin and clothing. Avoid contact with eyes. Avoid breathing vapors or mists of this product. Use only with adequate ventilation. Wash thoroughly after handling. Keep out of reach of children.

**Storage:** Store product in original containers. Keep containers closed. Store in cool, well-ventilated areas. Keep away from oxidizers.

## 8. Exposure Controls / Personal Protection

| Exposure limits:                                      | TWA         |
|---|-------------|
| <b>Component 1:</b> Fatty acids, coco, ethoxylated    | None listed |
| <b>Component 2:</b> Propylene glycol monomethyl ether | 100 ppm     |
| <b>Component 3:</b> Cocamidopropyl betaine            | None listed |

**Component 4:** Fatty acids, coco

None listed

**Personal Protective Equipment (PPE):**

**Eye Protection:** Wear safety glasses, or chemical goggles to prevent eye contact.

**Skin Protection:** Use nitrile latex, neoprene or pvc gloves when handling product.

**Respiratory Protection:** Use in well-ventilated area. Do not use in enclosed spaces. Use a NIOSH approved respirator where exposure guideline levels may be exceeded.

## 9. Physical and Chemical Properties

|                                     |                                    |                                     |                  |
|-------------------------------------|------------------------------------|-------------------------------------|------------------|
| <b>Flashpoint:</b>                  | >200°F                             | <b>Autoignition Temperature:</b>    | unknown          |
| <b>Boiling Point:</b>               | Not available                      | <b>Melting Point:</b>               | Not available    |
| <b>Vapor Pressure:</b>              | Not available                      | <b>Vapor Density:</b>               | >1               |
| <b>% Solubility:</b>                | 100%                               | <b>Pour Point:</b>                  | unknown          |
| <b>Molecular Formula:</b>           | not applicable                     |                                     |                  |
| <b>Odor and Appearance:</b>         | Slightly viscous Clear blue liquid |                                     |                  |
| <b>Lower Explosive Limit (LEL):</b> | Unknown                            | <b>Upper Explosive Limit (UEL):</b> | unknown          |
| <b>Specific Gravity:</b>            | Unknown                            | <b>% Volatile</b>                   | None             |
| <b>Evaporation Rate:</b>            | As Water                           | <b>Viscosity</b>                    | Slightly viscous |
| <b>Octanol/Water Partition:</b>     | not applicable                     | <b>pH</b>                           | 7 (1%)           |
| <b>Molecular Weight:</b>            | unknown                            |                                     |                  |
| <b>VOC (Weight %)</b>               | 269 g/l                            |                                     |                  |

## 10. Stability and Reactivity

**Stability/Incompatibility:** Product is stable. Hazardous Polymerization will not occur. Avoid Strong Oxidizing Agents.

**Hazardous Reactions:** None

## 11. Toxicological Information

**Signs and Symptoms of overexposure:**

**Acute Effects:** Irritation to eyes, skin and Respiratory system

**Eye Contact:** May cause eye irritation

**Skin Contact:** May cause irritation. May be absorbed through the skin

**Inhalation:** May cause respiratory tract irritation

**Ingestion:** May cause gastro-intestinal discomfort.

**Target Organ Effects:** May cause stomach distress, nausea or vomiting. May cause irritation to skin including redness and edema.

**Chronic Effects:** Excessive inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness). May cause stomach distress, nausea or vomiting.

**Medical Conditions Aggravated:** Unknown

| <b>Acute Toxicity:</b>            | <b>LD-50 (rat)</b> | <b>LC-50 (daphnia magna)</b> | <b>IDLH</b>   |
|-----------------------------------|--------------------|------------------------------|---------------|
| Cocamidopropyl betaine            | 2700 mg/kg         | 6.5 mg/l                     | not available |
| Fatty Acids, coco                 | 18500 mg/kg        | not available                | not available |
| Fatty Acids, coco, ethoxylated    | >8000 mg/kg        | not available                | not available |
| Propylene glycol monomethyl ether | 3739 mg/kg         | 23300mg/l                    | 150 ppm       |

| <b>12. Ecological Information</b>   | <b>water flea</b>      | <b>Algae</b>       | <b>freshwater fish</b> |
|---|------------------------|--------------------|------------------------|
| Ecotoxicological information: <b>LC-50</b>  | <b>(daphnia magna)</b> | <b>Desmodesmus</b> | <b>Brachydanio</b>     |
|   |                        | <b>subspicatus</b> | <b>rerio</b>           |
| Cocamidopropyl betaine  | 2700 mg/kg             | 1-10 mg/l          | 1-10 mg/l              |
| Fatty Acids, coco   | 18500 mg/kg            | not available      | not available          |
| Fatty Acids, coco, ethoxylated  | >8000 mg/kg            | not available      | not available          |
| Propylene glycol monomethyl ether   | 3739 mg/kg             | not available      | not available          |
| Propylene glycol monomethyl ether also has 96 hr Pimephales promelas @ 20 g/l and 96 hr Leuciscus idus @4600-10000 mg/l |                        |                    |                        |

Bioaccumulation/Biodegradability : Not available

Persistence: Not available

Mobility in environmental media: Not available

Environmental effects: Not available

Partition coefficient: Not available

Chemical fate information: Not available

Other adverse effects: Not available

### 13. Disposal Considerations

Dispose of in accordance with all applicable regulations.

COMPLY WITH FEDERAL, STATE, AND LOCAL REGULATIONS

### 14. Transport Information

#### U.S. Department of Transportation (DOT)

**Proper Shipping Name:** Not Regulated

**Hazard Class:** none

**UN/NA Number:** None

**Packing Group:** None

**Labels Required:** None

#### International Maritime Organization (IMDG)

**Proper Shipping Name:** Not Regulated

**Hazard Class:** None

**UN/NA Number:** None

**Packing Group:** None

**Labels Required:** None

### 15. Regulatory Information

#### U.S. Federal Regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200

**CERCLA:** There is no designated reportable quantity (RQ) for this product. Considering that most all of the ingredients in the formula have an RQ of 1000 lbs, the RQ of this product can be assumed to be 1000 lbs. If appropriate, immediately report spills to the National Response Center (800/424-8802) as required by federal law. Also contact appropriate state and local regulatory agencies.

**Toxic Substances Control Act (TSCA):** All components of this product are included on the TSCA inventory

**Clean Water Act (CWA):** No known components in this product are hazardous substances under the Clean Water Act. Consult Federal, State and local regulations for specific requirements.

**CAA (CAA):** No known components in this product are hazardous substances under the Clean Air Act. Consult Federal, State and local regulations for specific requirements.

**SARA** Immediate: Yes  
Delayed: No  
Fire: No

Pressure: No  
 Reactivity: No

This product contains the following toxic Chemicals:

| Component | CAS number | Maximum |
|-----------|------------|---------|
| NONE      | NONE       | NONE    |

## State Regulations

**California:** WARNING: This product contains a chemical known to the State of California to cause cancer. WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

### U.S.- California-8 CCR Section 339-Director’s List of Hazardous Substances

Propylene glycol monomethyl ether 107-98-2 Present

### U.S.- Massachusetts—Right to Know List

Propylene glycol monomethyl ether 107-98-2 Present

### U.S.-Minnesota-Hazardous Substance List

Propylene glycol monomethyl ether 107-98-2 Present

### U.S.- New Jersey-Right to Know Hazardous Substances List

Propylene glycol monomethyl ether 107-98-2 Present

### U.S.- Pennsylvania –RTK (Right to Know) List

Propylene glycol monomethyl ether 107-98-2 Present

### U.S.-Rhode Island- Hazardous Substance List

Propylene glycol monomethyl ether 107-98-2 Present

## Inventory name

| Country(s) or region        | Inventory name                                | On inventory (ys/no) |
|-----------------------------|---|----------------------|
| Canada                      | Domestic Substances List (DSL)                | Yes                  |
| Canada                      | Non-Domestic Substances List (NDSL)           | No                   |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes                  |



## International Regulations

### Canadian Environmental Protection Act:

Canadian Workplace Hazardous Materials Info Systems WHMIS Ingredient Disclosure List  
Propylene Glycol monomethyl ether 107-98-2 1%

**Class:** None

**WHMIS status** Controlled

**WHMIS classification** Class D-Division 2B

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

**EU Classification of Existing Chemicals (EINECS):** None

**EU Classification:** F None H None T None N None

**EU Risk and Safety Phrases:**

### Risk Statements

R36/37/38 Irritating to eyes, respiratory system and skin

R40 Limited evidence of a carcinogenic effect

R52 Harmful to aquatic organisms

S02 Keep out of the reach of children

S20/21 When using, do not eat, drink or smoke

S24,25 Avoid contact with skin and eyes

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39 Wear suitable clothing, gloves and eye/face protection

## 16. Other Information

**National Fire Protection Association (NFPA) Ratings:** This information is intended solely for the use of individuals trained in the NFPA system.

**Health: 1**

**Flammability: 1**

**Reactivity: 0**

**Revision Indicator:** New SDS    Date 6/1/15

**Disclaimer:** The information contained herein is accurate to the best of our knowledge. Newhouse makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.