



SAFETY DATA SHEET

Issuing date No data available

Revision Date 14-Oct-2014

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Label Name 201215838- Wisk Liquid Laundry- LIQUID LAUNDRY DETERGENT

Other means of identification

Product code 201215838

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Laundry detergent liquid for clothes washing machines.

Uses advised against Follow label instructions. Not recommended for any use except intended use.

Supplier's details

Supplier Address

Sun Products Corporate Office
60 Danbury Road
Wilton, CT 06897
USA

Emergency telephone number

Company Phone Number General - 1-800-776-6702 (Monday – Friday, 8:30AM to 6:00PM EST)

Company Emergency Phone Number Prosar: 1-800-565-5597 (24 hours)

Emergency telephone Chemtrec (US/CA) 1-800-424-9300 (24 hour)

Poison Control 1-800-222-1222 (24 hour)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity

Category 1A

GHS Label elements, including precautionary statements

Emergency Overview

Danger

Hazard Statements

May cause cancer

**Appearance** CLEAR LIQUID**Physical state** liquid**Odor** Fresh**Precautionary Statements - Prevention**

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)**Other information**

5.73803% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
C12-C15 Alcohol Ethoxylate	68131-39-5	10 - 30	*
BENZENESULFONIC ACID, C10-16-ALKYL DERIVATIVES, SODIUM SALTS	68081-81-2	1 - 10	*
Ethyl alcohol	64-17-5	1 - 10	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures for different exposure routes**General advice**

If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.

Skin contact

Consult a physician if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

Toxic - Inhalation

Move to fresh air. Consult a physician. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Ingestion

Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce vomiting.

Protection of First-aiders Use personal protective equipment.

Most important symptoms/effects, acute and delayed

Main Symptoms No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Hazardous Combustion Products No information available.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

Packaging material Keep consumer product in packaging product is initially sold in.

Incompatible products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³
TRIETHANOLAMINE 102-71-6	TWA: 5 mg/m ³		
Subtilisin 9014-01-1	Ceiling: 0.00006 mg/m ³ as crystalline active enzyme	(vacated) STEL: 0.00006 mg/m ³ 60 min	STEL: 0.00006 mg/m ³ 60 min Subtilisins

NIOSH IDLH: *Immediately Dangerous to Life or Health*

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles.

Skin and body protection No special protective equipment required.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state	liquid	Odor	Fresh
Appearance	CLEAR LIQUID	Odor Threshold	No information available
Color	blue		

<u>Property</u>	<u>Values</u>	<u>Remarks • Methods</u>
pH	7.800	pH
Melting point	No information available	
Boiling point/boiling range	> 212 °C / 414 °F	
Flash Point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
Upper Flammability Limit	No information available	
Lower Flammability Limit	No information available	
Vapor pressure	No information available	
Vapor density	No information available	

Specific Gravity	1.056	SPECIFIC GRAVITY - 20C
Water solubility	Soluble in water	
Solubility in other solvents	No information available	
Partition coefficient: n-octanol/water	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Viscosity, kinematic	600.000 cps	VISCOSITY - 70F
Viscosity, dynamic	No information available	
Explosive properties	No information available	
Oxidizing Properties	No information available	

Other information

Softening point	No information available
Molecular weight	No information available
VOC Content(%)	No information available
Density VALUE	No information available
Bulk Density VALUE	No information available

10. STABILITY AND REACTIVITY

Reactivity**Chemical stability**

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information**

Toxic - Inhalation There is no data available for this product.

Eye contact There is no data available for this product.

Skin contact There is no data available for this product.

Ingestion There is no data available for this product.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
C12-C15 Alcohol Ethoxylate 68131-39-5	= 2 g/kg (Rat)	2 g/kg (Rabbit)	
BENZENESULFONIC ACID, C10-16-ALKYL DERIVATIVES, SODIUM SALTS 68081-81-2	1000 mg/kg (Rat)	1000 mg/kg (Rabbit)	
Ethyl alcohol 64-17-5	= 7060 mg/kg (Rat)		= 124.7 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Eye damage/irritation No information available.

Sensitization No information available.

Germ Cell Mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol 64-17-5	A3	Group 1	Known	X

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive toxicity No information available.

Developmental Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Chronic toxicity Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. May cause adverse liver effects. Contains a known or suspected reproductive toxin.

Target Organ Effects Blood, Central nervous system, Eyes, Liver, Reproductive system, Respiratory system, Skin.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity 5.73803% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 6415 mg/kg

ATEmix (dermal) 7081 mg/kg

12. ECOLOGICAL INFORMATION**Ecotoxicity**

0.02369% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
SODIUM CITRATE 68-04-2		18000 - 32000: 96 h Poecilia reticulata mg/L LC50	5600 - 10000: 48 h Daphnia magna mg/L EC50
Ethyl alcohol 64-17-5		100: 96 h Pimephales promelas mg/L LC50 static 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	2: 48 h Daphnia magna mg/L EC50 Static 9268 - 14221: 48 h Daphnia magna mg/L LC50
TRIETHANOLAMINE 102-71-6	169: 96 h Desmodesmus subspicatus mg/L EC50 216: 72 h Desmodesmus subspicatus mg/L EC50	10600 - 13000: 96 h Pimephales promelas mg/L LC50 flow-through 450 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 1000: 96 h Pimephales promelas mg/L LC50 static	

DISODIUM DISTYRYLBIPHENYL DISULFONATE 27344-41-8	10: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50 10.0 - 11.0: 96 h <i>Desmodesmus subspicatus</i> mg/L EC50	76: 96 h <i>Brachydanio rerio</i> mg/L LC50 static	1000: 48 h <i>Daphnia magna</i> mg/L EC50
Calcium chloride 10043-52-4		10650: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static	2400: 48 h <i>Daphnia magna</i> mg/L LC50
Sodium Chloride 7647-14-5		5560 - 6080: 96 h <i>Lepomis</i> <i>macrochirus</i> mg/L LC50 flow-through 12946: 96 h <i>Lepomis</i> <i>macrochirus</i> mg/L LC50 static 7050: 96 h <i>Pimephales promelas</i> mg/L LC50 semi-static 6020 - 7070: 96 h <i>Pimephales promelas</i> mg/L LC50 static 4747 - 7824: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 6420 - 6700: 96 h <i>Pimephales promelas</i> mg/L LC50 static	1000: 48 h <i>Daphnia magna</i> mg/L EC50 340.7 - 469.2: 48 h <i>Daphnia</i> <i>magna</i> mg/L EC50 Static
Sodium Sulfate 7757-82-6		13500: 96 h <i>Lepomis macrochirus</i> mg/L LC50 3040 - 4380: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 6800: 96 h <i>Pimephales</i> <i>promelas</i> mg/L LC50 static 13500 - 14500: 96 h <i>Pimephales promelas</i> mg/L LC50	2564: 48 h <i>Daphnia magna</i> mg/L EC50
POTASSIUM CHLORIDE 7447-40-7	2500: 72 h <i>Desmodesmus</i> <i>subspicatus</i> mg/L EC50	750 - 1020: 96 h <i>Pimephales</i> <i>promelas</i> mg/L LC50 static 1060: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static	825: 48 h <i>Daphnia magna</i> mg/L EC50 83: 48 h <i>Daphnia magna</i> mg/L EC50 Static
Sodium nitrite 7632-00-0		0.092 - 0.13: 96 h <i>Oncorhynchus</i> <i>mykiss</i> mg/L LC50 flow-through 0.19: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 0.4 - 0.6: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 semi-static 0.65 - 1: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 2.3: 96 h <i>Pimephales</i> <i>promelas</i> mg/L LC50 flow-through 20: 96 h <i>Pimephales promelas</i> mg/L LC50 static	
5-Chloro-2-Methyl-4 Isothiazolin-3-One 26172-55-4	0.11 - 0.16: 72 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 static 0.03 - 0.13: 96 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 static	1.6: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 semi-static	4.71: 48 h <i>Daphnia magna</i> mg/L EC50 0.12 - 0.3: 48 h <i>Daphnia</i> <i>magna</i> mg/L EC50 Flow through 0.71 - 0.99: 48 h <i>Daphnia magna</i> mg/L EC50 Static
Magnesium Chloride 7786-30-3	2200: 72 h <i>Desmodesmus</i> <i>subspicatus</i> mg/L EC50	1970 - 3880: 96 h <i>Pimephales</i> <i>promelas</i> mg/L LC50 static	140: 48 h <i>Daphnia magna</i> mg/L EC50 Static

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
C12-C15 Alcohol Ethoxylate 68131-39-5	-
BENZENESULFONIC ACID, C10-16-ALKYL DERIVATIVES, SODIUM SALTS 68081-81-2	-
Ethyl alcohol 64-17-5	-0.32

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
C12-C15 Alcohol Ethoxylate 68131-39-5	-
BENZENESULFONIC ACID, C10-16-ALKYL DERIVATIVES, SODIUM SALTS 68081-81-2	-
Ethyl alcohol 64-17-5	Toxic Ignitable

14. TRANSPORT INFORMATION

<u>DOT</u>	Not regulated
<u>TDG</u>	Not regulated
<u>MEX</u>	Not regulated
<u>ICAO</u>	Not regulated
<u>IATA</u>	Not regulated
<u>IMDG</u>	Not regulated
<u>RID</u>	Not regulated
<u>ADR</u>	Not regulated
<u>ADN</u>	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	-
DSL/NDSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Ethyl alcohol - 64-17-5	Carcinogen Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol 64-17-5	X	X	X

U.S. EPA Label information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA	Health hazard 0	Flammability 0	Instability 0	Physical and chemical hazards -
HMIS	Health hazard 0	Flammability 0	Physical Hazard 0	Personal protection X

Prepared By Sun Products Corporation
Regulatory Affairs
Revision Date 14-Oct-2014

Revision Note
No information available

Disclaimer

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Sun Products Corporation to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Sun Products Corporation assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

End of Material Safety Data Sheet